



RoHS COMPLIANT

Note:

1. Material: PA66, UL94V-0
2. Compliant with IEC 60335-1 (GWT750°C, <2s)




CUSTOMER DRAWING			
REV.	ECO. NO.	DESCRIPTION	DATE
C	ES060118	Add Key Station	2006.11.27
D	ES081001	Add Key Station	2008.10.09
E	ES091212	Add Key Station	2012.12.23
F	ES110931	Add Key Station	2011.09.28
G	ES120315	Add Key Station	2012.03.28
H	ES170915	Add Key Station	2017.12.27
I	ES190707	Change 2.35 ^{+0.20} ₀ to 2.350	2019.07.04



Ordering Information:

5011S ** 0 * **
1 2 3 4

1. No. of circuits
2. 0: With lock
N: without lock
3. Color:
0=Nature (White)
7=Blue
4. See the Table on next page.



12	60	55
11	55	50
10	50	45
9	45	40
8	40	35
7	35	30
6	30	25
5	25	20
4	20	15
3	15	10
2	10	5
CIRCUITS	DIM.A	DIM.B

TOLERANCE UNLESS OTHERWISE SPECIFIED			LEOCO CORPORATION http://www.leoco.com.tw		
mm	mm	inch	APPROVED BY:	DATE:	TITLE:
[inch]			Topmoon	2019.07.04	Rast 5 Housing
1 PLACE	± 0.30	± ---	CHECKED BY:	DATE:	
2 PLACES	± 0.20	± .012	Cedric	2019.07.04	PART NO.: 5011S*****
3 PLACES	± 0.10	± .008	DRAWN BY:	DATE:	
4 PLACES	± ---	± .004	Candice	2019.07.04	DRAWING NO.: 501101S
ANGULAR ±1°			SIZE:	SCALE:	
			A3	1:1	I
			SHEET: 1 OF 4		

RoHS COMPLIANT

CUSTOMER DRAWING

REV.	ECO. NO.	DESCRIPTION	DATE
C	ES060118	Add Key Station	2006.11.27
D	ES081001	Add Key Station	2008.10.09
E	ES091212	Add Key Station	2012.12.23
F	ES110931	Add Key Station	2011.09.28
G	ES120315	Add Key Station	2012.03.28
H	ES170915	Add Key Station	2017.12.27
I	ES190707	Change 2.35 ^{+0.20} to 2.350	2019.07.04

TYPE	0A	0B	0C	0D	0E	0F	0G	0H	0I	0J	0L	0M	0N	0P	0Q	0R	0S	0T	0U
KEY/LOCK 2-way																			

0X	0Z	05	07	09	10	11	48	80	86

TYPE	0A	0B	0C	0D	0E	0F	0G	0H	0I	0K	0L	0M	0N	0Q	0W
KEY/LOCK 3-way															

01	02	03	05	08	10	11	12	13	1A	2N	2P	31	32	38

39	40	44	53	65	80	81	98

TYPE	0A	0B	0C	0D	0E	0F	0G	0H	0I	0J	0K	0L	0M
KEY/LOCK 4-way													

0W	01	02	03	04	05	06	12	17	19	26	27	37

43	63	65	67	79	80	81	82	84	86	PA	PB

TOLERANCE UNLESS OTHERWISE SPECIFIED			LEOCO CORPORATION http://www.leoco.com.tw		
mm			APPROVED BY:	DATE:	TITLE:
[inch]	mm	inch	Topmoon	2019.07.04	
1 PLACES	± 0.30	± --	CHECKED BY:	DATE:	Rast 5 Housing
2 PLACES	± 0.20	± .012	Cedric	2019.07.04	
3 PLACES	± 0.10	± .008	DRAWN BY:	DATE:	PART NO.:
4 PLACES	± --	± .004	Candice	2019.07.04	
ANGULAR ±1°			SIZE:	SCALE:	PART NO.:
			A3	1:1	
					DRAWING NO.:
					501101S
					REV.:
					I
					SHEET:
					2 OF 4

RoHS COMPLIANT

CUSTOMER DRAWING

REV.	ECO. NO.	DESCRIPTION	DATE
C	ES060118	Add Key Station	2006.11.27
D	ES081001	Add Key Station	2008.10.09
E	ES091212	Add Key Station	2012.12.23
F	ES110931	Add Key Station	2011.09.28
G	ES120315	Add Key Station	2012.03.28
H	ES170915	Add Key Station	2017.12.27
I	ES190707	Change 2.35 ^{+0.20} ₀ to 2.350	2019.07.04

TYPE	0A	0B	0C	0D	0E	0F	0G	0L	01	02	03	04
KEY/LOCK 5-way												
	05	06	07	08	09	11	12	13	14	17	18	20
	21	22	23	24	25	26	27	28	29	30	31	33
	34	35	36	40	43	45	49	50	51	64	69	73
	80	81	82	83	84	85	86	87	88	PB		

TYPE	0A	0B	0C	0D	0E	01	04	06	14	15
KEY/LOCK 6-way										
	21	29	30	50	51	71	73	80	81	

TYPE	0A	0B	1B	0C	0D	0E	03	04	14	22
KEY/LOCK 7-way										
	23	27	30	31	32	34	35	38	40	41
	42	43	45	48	51	59	69	76	80	81
	83									

TOLERANCE UNLESS OTHERWISE SPECIFIED			LEOCO CORPORATION http://www.leoco.com.tw		
mm					
[inch]	mm	inch	APPROVED BY:	DATE:	TITLE:
1 PLACE	± 0.30	± --	Topmoon	2019.07.04	Rast 5 Housing
2 PLACES	± 0.20	± .012	CHECKED BY:	DATE:	
3 PLACES	± 0.10	± .008	Cedric	2019.07.04	PART NO.: 5011S*****
4 PLACES	± --	± .004	DRAWN BY:	DATE:	
ANGULAR ±1°			Candice	2019.07.04	DRAWING NO.: 501101S
SIZE:	A3	SCALE:	1:1		
					SHEET: 3 OF 4


RoHS COMPLIANT

CUSTOMER DRAWING

REV.	ECO. NO.	DESCRIPTION	DATE
C	ES060118	Add Key Station	2006.11.27
D	ES081001	Add Key Station	2008.10.09
E	ES091212	Add Key Station	2012.12.23
F	ES110931	Add Key Station	2011.09.28
G	ES120315	Add Key Station	2012.03.28
H	ES170915	Add Key Station	2017.12.27
I	ES190707	Change 2.35 ^{+0.20} to 2.350	2019.07.04


TYPE	0A	0C	0D	0E	0F	08	10	16	21
KEYLOCK 9-way									
	30	33	41	44	45	46	48	49	57
	58	62	63	77	80	81			

TYPE	0A	0B	0C	0D	08	31	42	43
KEYLOCK 9-way								
	48	49	52	53	57	58	80	81



TYPE	0A	01	02	30	36	46	50	51
KEYLOCK 10-way								
	52	64	70	72	74	75	76	80

TYPE	0A	0B	0C	01	12	13
KEYLOCK 11-way						
	33	55	60	64	80	



TYPE	27	30	59	65	80
KEYLOCK 12-way					

TOLERANCE UNLESS OTHERWISE SPECIFIED			LEOCO CORPORATION http://www.leoco.com.tw		
mm	[inch]				
1 PLACE	± 0.30	± --	APPROVED BY: Topmoon	DATE: 2019.07.04	TITLE: Rast 5 Housing
2 PLACES	± 0.20	± .012	CHECKED BY: Cedric	DATE: 2019.07.04	
3 PLACES	± 0.10	± .008	DRAWN BY: Candice	DATE: 2019.07.04	PART NO.: 5011S*****
4 PLACES	± --	± .004	SIZE: A3 SCALE: 1:1		DRAWING NO.: 501101S
ANGULAR ±1°					REV.: I SHEET: 4 OF 4