

1.Molding Material : UL94V-0 PBT

2.7555S \*\* E0 \*\*




Color:01=Black

11=Grey

13=Ivory

No. of circuits

RoHS COMPLIANT



6	27.500 (1.083)	33.50±0.15 (1.319±.006)	32.5 (1.280)
5	22.500 (.886)	28.50±0.15 (1.122±.006)	27.5 (1.083)
4	17.500±0.08 (.689±.003)	23.500 (.925)	22.5 (.886)
3	12.500±0.08 (.492±.003)	18.500 (.728)	17.5 (.689)
2	7.500±0.05 (.295±.002)	13.500 (.531)	12.5 (.492)
1		6.000 (.236)	5.0 (.197)
Circuits	Dim A	Dim B	Dim C

E	ES101211			<b>LEOCO CORPORATION</b>	APPROVED:	PART NO.:																		
D	ES101008				GENERAL TOLERANCES: (UNLESS SPECIFIED)	DATE:	7555S**E0**																	
C	ES081001			<table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>inch</th> </tr> </thead> <tbody> <tr> <td>1 PLACE</td> <td>± 0.30</td> <td>± --</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.20</td> <td>± .012</td> </tr> <tr> <td>3 PLACES</td> <td>± 0.10</td> <td>± .008</td> </tr> <tr> <td>4 PLACES</td> <td>± --</td> <td>± .004</td> </tr> </tbody> </table>		mm	inch	1 PLACE	± 0.30	± --	2 PLACES	± 0.20	± .012	3 PLACES	± 0.10	± .008	4 PLACES	± --	± .004	CHECKED:	TITLE:			
	mm	inch																						
1 PLACE	± 0.30	± --																						
2 PLACES	± 0.20	± .012																						
3 PLACES	± 0.10	± .008																						
4 PLACES	± --	± .004																						
B	E980388				DATE:	HOUSING																		
A	DWG REL				DRAWN:	DRAWING NO.:																		
REV.	ECO. NO.	CHG.	APP.	ANGULAR ± ( 1° )	DATE:	755504S																		
						UNITS mm / inch	SCALE	SIZE	SHEET	REV.														
						3:1	A4	1/1	E															